

# **Product Components**

Components	Component Number	Size-1	Size-2
RNase A (Powder)	RM21314	100 mg	1 g

# **Product Description**

Ribonuclease A (RNase A), molecular weight 13.7 kDa, is an endonuclease that specifically acts on the 3' end of the pyrimidine residue on RNA, cleaving phosphodiester bonds formed with adjacent nucleotides, and the final product of the reaction is pyrimidine 3' phosphate and an oligonucleotide with pyrimidine 3' phosphate at the end. RNase A does not work on DNA and is often used to remove RNA from DNA products, such as during plasmid DNA or genomic DNA preparation.

This product is in the form of white lyophilized powder. Its recommended working concentration is 1-100 µg/mL, which will vary depending on specific applications.

### Source

**Bovine pancreas** 

#### Storage

Ice pack transport, stored in a dry environment at -20°C

## Solubility

10 mg/mL, soluble in pure water, clear and transparent

### **Enzyme activity**

≥ 50 Kunitz units/mg protein

## Recommended method of preparation of storage solution

- 1. A 10 mg/mL solution of RNase A was prepared with 10 mM sodium acetate (pH 5.2).
- 2. Bathe in water at 100 °C for 15 min.
- 3. Cool to room temperature, adjust the pH to 7.4 with 1M Tris-HCl (pH 7.4), aliquot and store at -20°C, which can be

stably stored for 2 years.

Note: When the pH of RNase A solution is neutral, RNase A denaturation precipitation will occur during water bath at 100°C; When the pH is acidic, other heteroprotein denaturation precipitates will occur during water bath at 100°C.